

Refine Search

Search Results -

Terms	Documents
(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L24

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Monday, September 19, 2005 [Printable Copy](#) [Create Case](#)

Set
 Name Query
 side by
 side

Hit
 Count
 Set
 Name
 result
 set

DB=TDBD; PLUR=YES; OP=ADJ

(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))

0 L24

DB=DWPI; PLUR=YES; OP=ADJ

(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))

0 L23

DB=JPAB; PLUR=YES; OP=ADJ

<u>L22</u>	(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))	0	<u>L22</u>
<i>DB=EPAB; PLUR=YES; OP=ADJ</i>			
<u>L21</u>	(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))	0	<u>L21</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L20</u>	717/151,169,170,171,172.ccls.	623	<u>L20</u>
<u>L19</u>	L18 and (automati\$ near5 (determin\$ or select\$))	16	<u>L19</u>
<u>L18</u>	L17 and (insert\$ or instal\$) and (replac\$ near4 source\$)	56	<u>L18</u>
<u>L17</u>	L16 and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$))	1184	<u>L17</u>
<u>L16</u>	(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$)	106286	<u>L16</u>
<u>L15</u>	l1 and (register\$ or variabl\$)	1	<u>L15</u>
<u>L14</u>	l1 and (cpu or process\$ or central\$) and (memory\$ or read-only\$ or rom\$) and register\$	0	<u>L14</u>
<u>L13</u>	l1 and (cpu or process\$ or central\$) and (memory\$ or read-only\$ or rom\$) register\$	0	<u>L13</u>
<u>L12</u>	l1 and (minim\$ or optimi\$)	1	<u>L12</u>
<u>L11</u>	l1 and (band\$ or laten\$ or error\$ or laod\$ or protocol\$)	1	<u>L11</u>
<u>L10</u>	l1 and (trans\$ or channel\$ Or wan\$ or lan\$)	1	<u>L10</u>
<u>L9</u>	l1 and (transm\$ or channel\$ Or wan\$ or lan\$)	1	<u>L9</u>
<u>L8</u>	l1 and performan\$	1	<u>L8</u>
<u>L7</u>	L6 and (transfer\$ or distribut\$)	1	<u>L7</u>
<u>L6</u>	l1 and (set-period\$ or set\$ or period\$)	1	<u>L6</u>
<u>L5</u>	l1 and tim\$	1	<u>L5</u>
<u>L4</u>	l1 and (statis\$ or number or numeric\$)	1	<u>L4</u>
<u>L3</u>	L2 and (updat\$ or upgrad\$)	1	<u>L3</u>
<u>L2</u>	L1 and (modif\$ or alter or replac\$ or insert\$ or chang\$ or edit\$)	1	<u>L2</u>
<u>L1</u>	5724556.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(709/201).CCLS.	1244

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L27

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, September 19, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
<u>L27</u> 709/201.CCLS.	1244	<u>L27</u>
<u>L26</u> 718/106.CCLS.	366	<u>L26</u>
<u>L25</u> 717/107,108,104,130.CCLS.	655	<u>L25</u>
<i>DB=TDBD; PLUR=YES; OP=ADJ</i>		
<u>L24</u> (partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))	0	<u>L24</u>
<i>DB=DWPI; PLUR=YES; OP=ADJ</i>		
<u>L23</u> (partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or	0	<u>L23</u>

	select\$))		
	<i>DB=JPAB; PLUR=YES; OP=ADJ</i>		
	(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))	0	L22
	<i>DB=EPAB; PLUR=YES; OP=ADJ</i>		
	(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$) and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$)) and (insert\$ or instal\$) and (replac\$ near4 source\$)and (automati\$ near5 (determin\$ or select\$))	0	L21
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>		
L20	717/151,169,170,171,172.ccls.	623	L20
L19	L18 and (automati\$ near5 (determin\$ or select\$))	16	L19
L18	L17 and (insert\$ or instal\$) and (replac\$ near4 source\$)	56	L18
L17	L16 and (modif\$ or chang\$ or alter) near4 (source near4 (program\$ or code\$))	1184	L17
L16	(partition\$ or divid\$ or separat\$ or module\$) and (subprogram\$ or step\$) and (instruction\$ or command\$) and execut\$ and (distribut\$ or transf\$)	106286	L16
L15	11 and (register\$ or variabl\$)	1	L15
L14	11 and (cpu or process\$ or centrail\$) and (memory\$ or read-only\$ or rom\$) and register\$	0	L14
L13	11 and (cpu or process\$ or centrail\$) and (memory\$ or read-only\$ or rom\$) register\$	0	L13
L12	11 and (minim\$ or optimi\$)	1	L12
L11	11 and (band\$ or laten\$ or error\$ or laod\$ or protocol\$)	1	L11
L10	11 and (trans\$ or channel\$ Or wan\$ or lan\$)	1	L10
L9	11 and (transm\$ or channel\$ Or wan\$ or lan\$)	1	L9
L8	11 and performan\$	1	L8
L7	L6 and (transfer\$ or distribut\$)	1	L7
L6	11 and (set-period\$ or set\$ or period\$)	1	L6
L5	11 and tim\$	1	L5
L4	11 and (statis\$ or number or numeric\$)	1	L4
L3	L2 and (updat\$ or upgrad\$)	1	L3
L2	L1 and (modif\$ or alter or replac\$ or insert\$ or chang\$ or edit\$)	1	L2
L1	5724556.pn.	1	L1

END OF SEARCH HISTORY



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

partition and computer program and subprogram and execute



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

partition and computer program and subprogram and execute and distribute and compile and modify

 Four
95,91

161,64

 Sort results
by

relevance


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

 Display
results

expanded form


[Search Tips](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐

1 [Fast detection of communication patterns in distributed executions](#)

Thomas Kunz, Michiel F. H. Seuren

 November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**

 Full text available: [pdf\(4.21 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

2 [An implementation supporting distributed execution of partitioned ada programs](#)

R. Jha, G. Eisenhauer, J. M. Kamrad, D. Cornhill

 January 1989 **ACM SIGAda Ada Letters**, Volume IX Issue 1

 Full text available: [pdf\(823.78 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This paper describes the implementation of a novel paradigm for building distributed application software in Ada. The entire application is written as a single program, which is partitioned for distributed execution *after* its design. The partitioning is expressed in a separate notation called the Ada Program Partitioning Language (APPL). A modified compilation system accepts an Ada program and an APPL specification for it as input, to produce a separate executable image for each node. The ...

3 [Secure program partitioning](#)

Steve Zdancewic, Lantian Zheng, Nathaniel Nystrom, Andrew C. Myers

 August 2002 **ACM Transactions on Computer Systems (TOCS)**, Volume 20 Issue 3

 Full text available: [pdf\(497.12 KB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents secure program partitioning, a language-based technique for protecting confidential data during computation in distributed systems containing mutually untrusted hosts. Confidentiality and integrity policies can be expressed by annotating programs with security types that constrain information flow; these programs can then be partitioned automatically to run securely on heterogeneously trusted hosts. The resulting communicating subprograms collectively implement the original p ...

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((partition and computer and program and disribute)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)

Modify Search

[New Search](#)☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE --